



Características Tubo Conformado en Frío Redondo

Ø	Espesor Medio (mm.)											
	Masas por unidad de longitud Kg/m											
mm.	1	1,2	1,5	2	2,5	3	3,5	4	5	6	7	8
12	0,271	0,331	0,388									
14	0,321	0,393	0,462									
16	0,370	0,455	0,536									
18	0,419	0,516	0,610	0,789								
19	0,444	0,547	0,647	0,838								
20	0,469	0,578	0,684	0,888								
22	0,518	0,640	0,758	0,986								
25	0,592	0,732	0,869	1,134								
28	0,666	0,825	0,980	1,282								
30	0,715	0,886	1,054	1,381								
32	0,765	0,948	1,128	1,480								
35	0,838	1,040	1,239	1,628	2,004							
38	0,912	1,133	1,350	1,776	2,189	2,589						
40	0,962	1,195	1,424	1,874	2,312	2,737						
42	1,011	1,256	1,498	1,973	2,435	2,885						
45		1,349	1,609	2,121	2,620	3,107						
48		1,441	1,720	2,269	2,805	3,329						
50		1,503	1,794	2,368	2,929	3,477	4,014	4,538				
55		1,657	1,979	2,614	3,237	3,847						
60		1,811	2,164	2,861	3,545	4,217	4,877	5,524				
70			2,534	3,354	4,162	4,957	5,740	6,511	8,010			
76			2,756	3,650	4,532	5,401	6,258	7,103	9,027			
80			2,904	3,847	4,778	5,697	6,603	7,497	9,420			
83				3,995	4,963	5,918	6,862	7,793				
89				4,291	5,333	6,363	7,380	8,385	10,300			
90				4,340	5,395	6,437	7,466	8,484	10,597			
95				4,587	5,703	6,807	7,898	8,977				
100				4,834	6,011	7,177	8,329	9,470	12,049	14,365		18,200
108				5,228	6,504	7,768	9,020	10,259	12,701			
113				5,475	6,813	8,138	9,452	10,752	13,541	15,800		21,352
125				6,067	7,553	9,026	10,487	11,936	15,111	17,992		23,236
152						11,784		15,456	19,000	22,800	26,040	29,440
178						12,900		18,016	22,320	26,496	30,800	35,200
200						17,100		20,000	24,800	29,424	34,160	39,040