



11. BIBLIOGRAFÍA.

- ✓ ANDREAE, H. (1996). Ecological impacts of some heavy metals related to long-range atmospheric transport. Background Report for ICP Forests, 15 p.
- ✓ Atkinson, R. and Arey, J. 1998. Atmospheric chemistry of biogenic organic compounds. *Accounts of Chemical Research*, 31, 574-583.
- ✓ Atkinson, R. 2000. Atmospheric chemistry of VOCs and NO_x. *Atmospheric Environment*, 34, pp. 2063-2101.
- ✓ Reich, P.B. Amudson, R.G. 1985. Ambient levels of ozone reduce net photosynthesis in tree and crop species. *Science* 230, 566-570.
- ✓ Builtjes, P.J.H, 1991. The LOTOS model results. In comparison of Three models of long term photochemical oxidants in Europe. Ed. T. Iversen. EMEP/MSC-W Report 3/91, DMNI, Oslo, Norway.
- ✓ BRADY, N.E. and WEIL R.R. (1996). The nature and properties of soils. Prentice Hall, New Jersey. 11th edition, 740 p.
- ✓ Colville R., Hutchinson, E.J., Mindell, J.S. and Warren R.F. 2001. The transport sector as a source of air pollution. *Atmospheric Environment*, 35, 1537-1565.
- ✓ COPERT III Computer programme to calculate emissions from road transport. Methodology and emission factors (version 2.1) European Environmental Agency. Technical report No 49
- ✓ EU European Union, 2002. Directive 2002/3/EC of the European Parliament and of the Council of 12 February 2002 relating to ozone in ambient air. *Official Journal of the European Communities*, L 67/14-30.
- ✓ LÓPEZ ARIAS, M., GRAU CORBÍ, J.M. 2004. Metales pesados, materia orgánica y otros parámetros de la capa superficial de los suelos agrícolas y de pastos de España peninsular. INIA y MEC, 383 p.
- ✓ JONES, L.H.P. and JARVI, S.C. (1981). The fate of heavy metals. In: *The Chemistry of Soil Processes* (Ed.: D.J. Greenland and M.H.B. Hayes), p. 593-620.
- ✓ ROOS, S.M. (1994). Sources and forms of potentially toxic metals in soil-plant systems. In *Toxic metals in soil-plant systems*. (Ed.: S.M. Ross), Wiley, 469 p.
- ✓ Delgado R., 1997, Elaboració d'un inventari d'emissions procedents de tràfic rodat en l'àrea de Catalunya durant l'any 1994. Projecte de Màster en Enginyeria i Prevenció Ambiental, ITEMA-UPC. España, 1997
- ✓ Eliassen A., Hov O., Isaksen I.S.A., Saltbones J., and Stordal F., 1982. A Lagrangian Long-range transport model with atmospheric boundary layer chemistry. *Journal of applied Meteorology* 21, 1645-1661.
- ✓ EMEP, 1998, Co-operative programme for monitoring and evaluation of the long range transmission of air pollutants in Europe (EMEP), Calculations of tropospheric ozone and comparison with observations, MSC-W Status Report 1998, Norwegian Meteorological Institute, P.O. Box 43, Blindern, N-0313, Oslo, Norway.
- ✓ Environ, 2002. User's Guide Comprehensive Air Quality Model with Extensions (CAMx). ENVIRON International Corporation. (<http://www.camx.com>)



- ✓ Grell, G., Emeis S, Stockwell WR, Schoenemeyer T., Forkel R., Michalakes J., Knoche R. and Seidl W., 2000. Application of a multiscale, coupled MM5/chemistry model to the complex terrain of the VOTALP valley campaign, *Atmospheric Environment*, 34,9, 1435-1453
- ✓ Guenter, A.B., Zimmerman P.R. and Harley, P.C. 1993. Isoprene and monoterpenes Emission Rate Variability: Model Evaluations and Sensitivity analysis. *Journal of Geophysical Research*, 98(D7), 12609-12617.
- ✓ Guenter A.B., Hewitt C.N., Erickson, D., Fall, R., Geron C., Graedel T., Harley, P., Klinger, L., Lerdau, M., McKay W.A., Pierce, T., Scholes, B., Steinbrecher, R., Tallamraju, R., Taylor, J. and Zimmerman, P., 1995. A global model of natural volatile organic compound emissions. *Journal of Geophysical Research*, 100(d5), 8873-8892
- ✓ Guenter A., Geron, C., Pierce T., Lamb, B., Harley, P., and Fall, R. 2000. Natural emissions of non-methane volatile organic compounds, carbon monoxide, and oxides of nitrogen from North America. *Atmospheric Environment*, 34, 2205-2230.
- ✓ Guidance on the Use of Models and Other Analyses in Attainment Demonstrations for the 8-hour Ozone NAAQS, EPA-454/R-05-002; October 2005
- ✓ Hass, H., 1991. Description of the EURAD chemistry transport module (CTM) Version 2. Report 83. Institute of Geophysics and Meteorology, University of Cologne, Eds. A. Ebel, F.M. Neubauer, and P. Speth.
- ✓ Hass H., P. J. H. Builtjes, D. Simpson and R. Stern, 1997. Comparison of model results obtained with several European regional air quality models, *Atmospheric Environment*, 31, 19, 3259-3279
- ✓ Inventario de emisiones a la atmósfera en Andalucía. Año 2003. Consejería de Medio Ambiente. Junta de Andalucía
- ✓ Kesselmeier, J., Schäfer, L., Ciccioli, P., Brancaleoni, E., Cecinato, A., Frattoni, M., Foster, P., Jacob, V., Denis, J., Fugit, J. L., Dutaur, L., Torras, L.: Emission of monoterpenes and isoprene from a Mediterranean oak species *Quercus ilex* L. measured within the BEMA (Biogenic Emissions in the Mediterranean Area) project. - *Atmos. Environ.* **30**: 1841-1850, 1996.
- ✓ Kullwein, J. and Friedrich, R. 2000. Uncertainties of modelling emissions from road transport. *Atmospheric Environment*, 34, 4603-4610.
- ✓ Millán M., Salvador R., Mantilla E. y Artíñano B. 1995; "Meteorology and photochemical air pollution in Southern Europe: experimental results from EC research projects"., *Atmos. Environ.* **30**, 1909-1924.
- ✓ Millán M., Salvador R., Mantilla E. and Kallos G. 1997; "Photooxidant Dynamics in the Mediterranean Basin in Summer: Results from European Research Projects", *Journal of Geophysical Research*. vol 102, no D7, April 20.
- ✓ Millan, M.M, Mantilla E., Salvador R., Carratala A., Sanz M.J., Alonso L., Gangoiti G., and Navazo M., 2000. Ozone Cycles in the Western Mediterranean Basin: Interpretation of Monitoring Data in Complex Coastal Terrain. *Journal of Applied Meteorology*, 39, 487-508.



- ✓ Models-3 Air Quality Modeling System. Chapter 8: Gas-phase chemistry
- ✓ Ntziachristos L., Tzourou P.M., Samaras Z., Geivanidis S. and Andrias A., 2002, National an central estimates for air emissions form road transport. EEA Technical report 74. Copenhagen 2002
- ✓ Peters L.K., Berkowitz C.M., Carmichael G.R., Easter R.C., Fairweather G., Ghan S.J., Hales J.M., Leung L.R., Pennell J.M., Potra F.A., Saylor R.D., and Tsang T.T., 1995. The current state and future direction of Eulerian models in simulating the tropospheric chemistry and transport of trace species: a review. *Atmospheric Environment* 29 (2), 189-222.
- ✓ Querol, X., Alastuey, A., Lopez-Soler, A., Plana, F., Puigercus, J.A., Ruiz, C.R., Mantilla, E., Juan, R. (1998). Seasonal evolution of atmospheric suspended particles around a coal-fired power chemical characterization. *Atmospheric Environment*, 32, 4, 719-731.
- ✓ Querol X, Alastuey A, de la Rosa JD, Sánchez de la Campa A, Plana F, Ruiz CR (2002) Source apportionment analysis of atmospheric particulates in an industrialised urban site in southwestern Spain *Atmospheric Environment* 36, 3113-3125.
- ✓ Querol X, Alastuey A, Rodríguez S, Viana MM, Artiñano B, Salvador P, Mantilla E, García do Santos S, Fernández Patier, R, de la Rosa J, Sánchez de la Campa A, Menéndez M, Gil Ibarguichi JI (2004a) Levels of particulate matter in rural, urban and industrial sites in Spain. *Science of the Total Environment* 334-335 :359-376
- ✓ Querol X, Alastuey A, Rodríguez S, Viana MM, Artiñano B, Salvador P, Mantilla E, García do Santos S, Fernández Patier, R, de la Rosa J, Sánchez de la Campa A, Menéndez M, Gil Ibarguichi JI (2004b) Speciation and origin of PM10 and PM2.5 in Spain. *Journal of Aerosol Science* 35:1151-1172
- ✓ Querol X, Alastuey A y 23 más (2006) Material Particulado en España: Niveles, Composición y Contribución de Fuentes. CSIC y Ministerio de Medio Ambiente. 41 pp. N.I.P.O: 310-06-107-8.
- ✓ Sillman, S., 1995, The use of NO_y, H₂O₂ and HNO₃ as indicators for ozone-NO_x-hydrocarbon sensitivity in urban locations. *Journal of Geophysical Research*, 100 (D7), pp. 14175-14188.
- ✓ Sillman, S., HE, D., 2002, Some theoretical results concerning O₃-NO_x-VOC chemistry and NO_x-VOC indicators. *Journal of Geophysical Research*, 107 (D22), pp. 4659.
- ✓ Sillman, S., 2003, [Tropospheric ozone and photochemical smog. in B. Sherwood Lollar, ed., Treatise on Geochemistry, Vol. 9: Environmental Geochemistry, Ch. 11, Elsevier.](#)
- ✓ Simon, V., Luchetta, L. and Torres, L. 2001. Estimating the emission of volatile organic compounds (VOC) from the French forest ecosystem. *Atmospheric Environment*, 35, 115-126.
- ✓ Simpson, D., 1993. Photochemical model calculations over Europe for two extended summer periods: 1985 and 1989. Model results and comparisons with observations, *Atmospheric Environment*, 27A, 921-943.
- ✓ Simpson, D., Guenther A., Hewitt, C.n and Steinbrecher R. 1995. Biogenic emissions in Europe. Estimates and uncertainties. *Journal of Geophysical Research*, 100 (D11), 22 875-22 890.

- ✓ Stein A.F., Lamb D., and Draxler R.R., 2000. Incorporation of detailed chemistry into a three-dimensional lagrangian-eulerian hybrid model: application to regional tropospheric ozone. *Atmospheric Environment* 34 (25) 4361-4372.
- ✓ Vestreng, V. et al, 2004. Inventory review 2004. Emission data reports to CLRTAP and the NEC Directive EMEP/EEA Joint Review Report EMEP/MS-CW Note 1
- ✓ Wayne, R.P., *Chemistry of Atmospheres*, Clarendon Press, Oxford, 1985.
- ✓ Minnocci, A., Panicucci, A., Sebastiani, L., Lorenzini, G., Vitagliano, C., 1999. Physiological and morphological responses of olive plants to ozone exposure during a growing season. *Tree Physiology* 19, 391-397.
- ✓ Richards, B.L., Middleton, J.T. & Hewitt, W.B. 1958. Air pollution with relation to agronomic crops: V. Oxidant stipple on grape. *Agronomy Journal* 50: 559-561.
- ✓ Soja, G., Eid, M., Gangl, H. & Redl, H. 1997. Ozone sensitivity of grapevine (*Vitis vinifera* L.): evidence for a memory effect in a perennial crop plant?. *Phyton*, 37: 265-270.
- ✓ Soja, G., Gangl, H., Eid, M., Soja, A.M. & Redl, H. 1998. Accumulation of carbohydrates and acids in fruits of *Vitis vinifera* L. as influenced by ozone. In: responses of plant metabolism to air pollution and global change. (De Kok, L.J. & Stulen, I, eds.). Backhuys Publishers, Leiden, The Netherlands, pp. 449-451.
- ✓ Soja, G., Reichenauer, T.G., Eid, M., Soja, A.M., Schaber, R. & Gangl, H. 2004. Long-term ozone exposure and ozone uptake of grapevines in open-top chambers. *Atmospheric Environment* 38: 2313-2321.
- ✓ Weinstein, L.H. 1984. Effects of air pollution on grapevines. *Vitis*, 23: 274-303.
- ✓ Athanassios, R.(1980). Ozone effects on radish (*Raphanus sativus* L. cv. Cherry Belle): gradient of ultrastructural changes. *Z Pflanzenphysiol* **97**, 227-232.
- ✓ Barnes J, Balaguer L, Manrique E, Elvira S, Davison A (1992). A reappraisal of the use of DMSO for the extraction and determination of chlorophylls a and b in lichens and higher plants. *Environmental and Experimental Biology* 32:85-100
- ✓ Barringer Research Ltd. (1969) Optical measurements of Sulfur Dioxide and Nitrogen Dioxide Air Pollution Using Barringer Correlation Spectrometers. Contractors Report PB 193 - 485. NTIS, Springfield, Virginia, USA.
- ✓ Bastrup-Birk, A., Brandt, C.J., Zlatev, Z., & Uria, I.(1997). Studing cumulative ozone exposures in Europe during a 7-year period. *Journal of Geographical Research*. **102**, 23917-23935.
- ✓ Calatayud, V. & Sanz, M.J. (2000). Guía de líquenes epífitos (en las parcelas del sistema Pan-Europeo para el seguimiento Intensivo y continuo de los sistemas forestales (Red CE de Nivel II) en España. Ministerio de medio Ambiente, Madrid, 185 p.
- ✓ Calatayud, V., Muñoz, C., Hernández, R., Pérez-Forteza, V., Sanz, M.J., Soldevilla, C. & Sánchez, G. (2000). Seguimiento de daños en acículas de *Pinus halepensis* en localidades de Teruel y Castellón (España). *Ecología*, **14**: 157-167
- ✓ Capel, J.J. (1981). Los climas de España. Colección Ciencias Geográficas. *Oikos-tau, s.a. - ediciones. Barcelona*.
- ✓ CEAM, Fundación. (1993). La contaminación atmosférica en la Comunidad Valenciana. Estado de conocimientos sobre los problemas en el Maestrazgo y Els Ports de Castellón. *Informe 93-1*.

- ✓ CEAM, Fundación. (1996). La investigación de la situación de la calidad del aire en las comarcas del norte de la Comunidad Valenciana. *TOMO I. Documento técnico 96-8*.
- ✓ CEAM, Fundación. (1998). La calidad del aire en la comunidad Valenciana. Comarcas de Els Ports-Maestrat. Evaluación de resultados hasta 1997 y optimización de las redes de sensores. *Informe 98-1*.
- ✓ CEAM, Fundación. (2003). Situación de la calidad del aire en las comarcas del Norte de la Comunidad Valenciana. *Informe 03-1*.
- ✓ Davis, D.D. & Skelly, J.M.(1992). Foliar sensitivity of eight eastern hardwood tree species to ozone. *Water Air Soil Pollution*. **62**, 269-277.
- ✓ Davison, A.W., Velissarioiu, D., Barnes, J.D., Gimeno, B.S., & Inclán, R.(1995). *Bioindicators of Environmental Health* (SPB, A.P., Ed.) Munawar, M., Hänninen,O, Roy, S., Karenlampi,L., Brown,D., edition. Amsterdam. 63-72.
- ✓ Diéguez,J.J. (2001).Red Automática de Vigilancia de la Calidad del Aire en la Comunidad Valenciana: Análisis y Optimización. Tesina. Universidad de Valencia, Dept. de Termodinámica.
- ✓ Fuhrer, J. & Achermann, B., eds. (1994). Critical levels for ozone. A UN-ECE workshop report. Swiss Federal Research Station for Agricultural Chemistry and Environmental Hygiene, 1-328.
- ✓ Fuhrer, J. (1994). The critical level for ozone to protect agricultural crops. An assessment of data from European open-top chamber experiments. In: Critical levels for ozone. A UN-ECE workshop report (Fuhrer, J., Achermann, B., eds.). Swiss Federal Research Station for Agricultural Chemistry and Environmental Hygiene, 42-57.
- ✓ Garrec, J.P. & Sigoillot, J.P.(1992). Les arbres malades per la mer. *La Recherche*. **23**, 940-941.
- ✓ Gimeno, B.S., Bermejo, V., Reinert, R.A., Zheng, Y., & Barnes, J.D.(1999). Adverse effects of ambient ozone on watermelon yield and physiology at a rural site in eastern Spain. *New Phytologist*. **144**, 245-260.
- ✓ Gimeno, B.S., Peñuelas, J., Porcuna, J.L., & Reinert, R.A.(1995). Biomonitoring ozone phytotoxicity in eastern Spain. *Water Air Soil Pollution*. **85**, 1152-1526.
- ✓ Gimeno, B.S., Salleras, J. M, Bermejo, V., Ochoa, M J. & Tarruel, A. (1989). Efectos del ozono sobre plantas de sandía en el Delta del Ebro. 1: Sintomatología (II). *Phytoma* **12**:19-28.
- ✓ Gimeno, B.S., Velissarioiu, D., Barnes, J.D., Inclán, R., Peña, L.M., & Davison, A.W.(1992). Daños visibles por ozono en acículas de *Pinus halepensis* Mill. en Grecia y España. *Ecología*. **6**, 131-134.
- ✓ Grell, G.A., Dudhia, J. and Stauffer, D.R. (1994). A description of the fifth-generation Penn State/NCAR mesoscale model (MM5). NCAR/TN-398+STR (1994), 138 pp.
- ✓ Guillot P. (1985) Joint European Campaigns on Remote Sensing of Atmospheric Pollution. *Proceedings 78th Annual Meeting Air Pollution Control Association*. Paper 85-18.1., APCA. Pittsburgh, PA., USA.
- ✓ Hamilton P. M. (1967) Plume height measurements at Northfleet and Tilbury power stations. *Atmos. Environ.* **1**, 379-387.



- ✓ Hamilton P. M. (1969) The application of a pulsed light range finder (Lidar) to the study of chimney plumes. *Phil. Trans. Royal Soc. Series 8*, 265, 153-172.
- ✓ Hamilton P. M., Varey R. H. and Millán M. M. (1978) Remote sensing of sulfur dioxide. *Atmos. Environ.* **12**, 127-133.
- ✓ Harrison, B.H. & Feder, W.A.(1974). Ultrastructural changes in pollen exposed to ozone. *Phytopathology* **64**, 257-258.
- ✓ Heagle, A.S., Philbeck, R.B., Rogers, H.H., & Letchworth, M.B.(1979). Dispensing and monitoring ozone in open-top chambers for plant-effect studies. *Phytopathology* **69**, 15-20.
- ✓ Heagle, A.S., Spencer, S. & Letchworth, M.B. (1979). Yield response of winter wheat to chronic doses of ozone. *Can. J. of Botany*, 57: 1999-2005.
- ✓ Hewson, E. W. (1945) The meteorological control of atmospheric pollution by heavy industry. *Quart. J. Roy. Meteorol. Soc.*, **71**, 266-282.
- ✓ Hewson, E. W. (1955) Stack heights required to minimize ground concentrations. *Transact. Am. Soc. Mech. Engrs*, **77**, 1163-1172.
- ✓ Hjellbrekke, A.G. (1995). Ozone measurements 1995. EMEP/CCC 3/1997
- ✓ Hjellbrekke, A.G. (1995). Ozone measurements 1998. EMEP/CCC 5/2000
- ✓ Houghton, J.T., 1989: *The Physics of Atmospheres* (2nd Ed.) Cambridge University Press, Cambridge, UK, 271 pp.
- ✓ Howell, R.K.(1974). *Air Pollution effects on plant growth* (Dugger, M., Ed.) ACS. Symp. Ser 3. Am. Chem. Soc. edition. Washington DC. 94-105.
- ✓ Hurley, P. and Physick, W. (1991). A Lagrangian particle model of fumigation by breakdown of the nocturnal inversion. *Atmos. Environ.*, **25A** (7), 1313 - 1325.
- ✓ Kain, J.S. and J.M. Fritsch, 1990: A one-dimensional entraining/detraining plume model. *J. Atmos. Sci.*, 47, 2784-2802.
- ✓ Kain, J.S. and J.M. Fritsch, 1993: Convective parameterization for mesoscale models: The Kain-Fritsch scheme. The Representation of cumulus in numerical models. K. A. Emanuel and D. J. Raymond, eds, Meteorological Monographs. Amer. Meteor. Soc., 165-170.
- ✓ Kalnay, E. and collaborators. (1996). The NCEP/NCAR 40-year reanalysis project. *Bull. Amer. Meteor. Soc.*, **77**, 437 - 471.
- ✓ Kärenlampi, L. I Skärby, L.(1994). *Critical levels for ozone in Europe: testing and finalizing the concepts*. UN-CE Workshop Report. Univ. of Kuopio, Dep. Ecology and Environ. Science, 363 p.
- ✓ Kärenlampi, S.O., Airaksinen, K., Miettinen, A.T.E., Kokko, N.I., Holopainen, J.K., Karelampi, L.V. & Kalajainen, R.O. (1994). Pathogenesis related proteins in ozone exposed Norway Spruce. *New Phytol.* 126: 783-794.
- ✓ Keller, T.(1978). Wintertime atmospheric pollutants- do they affect the performance of deciduous trees in the ensuing growing season?. *Environmental Pollution.* **16**, 243-247.
- ✓ Krupa, S.V. & Legge, A.H.(1999). Foliar injury symptoms of Saskatoon serviceberry (*Amelanchier alnifolia* Nutt.) as a biological indicator of ambient sulfur dioxide exposures. *Environmental Pollution.* **106**, 449-454.

- ✓ Langebartels, C., Ernst, D., Heller, W., Lütz, C., & Payer, H.D.(1997). *Forest decline and ozone: a comparison of controlled chamber and field experiments. Ecological studies, vol.127* (Wellburn, H. and Heath, R.L.Jr., Eds.) Ecological studies edition. 163-200.
- ✓ Lelieveld, J. & Dentener, J.F.(2000). What controls tropospheric ozone?. *Journal of Geographical Research. 105*, 3531-3551.
- ✓ Lichtenthaler, H.K. & Rinderle, U.(1988). The role of chlorophyll fluorescence detection of stress conditions in plants. *Critical Reviews in Analytical Chemistry 19*(1), 29-85.
- ✓ Liebold, E.(1988). Wirkungsmodell der längerfristigen Schandensprognose im SO₂-Geschädigten Fichtenwald. *Wissenschaftliche Zeitschrift der technische Universität Dresden 37*, 243-247.
- ✓ Martín, J. (1987). Característiques climatològiques de la precipitació en la franja costera mediterrània de la península Ibèrica. *Tesis Doctoral. Institut Cartogràfic de Catalunya. Generalitat de Catalunya.*
- ✓ McCool, P.M., Musselman, R.C., Younglove, T., & Teso, R.R.(1988). Response of kidney bean to sequential ozone exposures. *Environmental and Experimental Botany 28*, 307-313.
- ✓ McNider, R.T., Moran, M.D. and Pielke, R.A. (1988). Influence of diurnal and inertial boundary-layer oscillations on long-range dispersion. *Atmos. Environ., 22* (11), 2445 - 2462.
- ✓ Millán M. M. (1984) Meteorological Effects in Remote Sensing Operations. Chap. XVII in *Optical Remote Sensing of Air Pollution* (Camagni P. and Sandroni S. Eds.) Published for the Commission of the European Communities by Elsevier Science Publishers, Amsterdam, Holland.
- ✓ Millán M. M. (1987) The regional transport of tall stack plumes, Cap.IX, in *Regional and Long-range Transport of Air Pollution*. S. Sandroni (Ed.), Published for the Commission of the European Communities by Elsevier Science, Amsterdam.
- ✓ Millán M. M., Gallant A. J. and Turner H. E. (1976) The application of correlation spectroscopy to the study of dispersion from tall stacks. *Atmos. Environ. 10*, 499-511.
- ✓ Millán M.M. (1976) A note on the geometry of plume diffusion measurements. *Atmos. Environ. 10*, 655-658.
- ✓ Millán M.M. and Chung Y.S. (1977) Detection of a plume 400 Km from the source. *Atmos. Environ. 11*, 937-944.
- ✓ Millán M.M., Alonso L., Albizuri A. y Navazo M. (1987) Dispersión de contaminantes en la atmósfera II, Chimeneas altas. *ENERGÍA*. Mayo-Junio 1987, Madrid, 101-116.
- ✓ Millán M.M., Artíñano B., Alonso L., Castro M., Fernandez-Patier R. and Goberna J. (1992) *Meso-meteorological Cycles of Air Pollution in the Iberian Peninsula, (MECAPIP)*, Contract EV4V-0097-E, Air Pollution Research Report 44, (EUR N° 14834) CEC-DG XII/E-1, Rue de la Loi, 200, B-1040, Brussels.
- ✓ Millán M.M., Mantilla, E., Salvador, R., Carratalá, A., Sanz, M.J., Alonso, L., Gangoiti, G., Navazo, M., (2000) Ozone cycles in the Western Mediterranean Basin: Interpretation of monitoring data in complex coastal terrain. *J. Appl. Meteor., 39*, 487-508.



- ✓ Millán M.M., Salvador R., Mantilla E. and Artñano B. (1996) Meteorology and photochemical air pollution in southern europe: experimental results from EC research projects, *Atmos. Environ.*, **30**, 1909-1924.
- ✓ Millán M.M., Salvador R., Mantilla E. and Kallos G. (1997) Photo-oxidant dynamics in the Western Mediterranean in Summer: Results from European Research Projects. *J. Geophys. Res.*, **102**, **D7**, 8811-8823.
- ✓ Millán, M. M. (1987). The regional transport of tall stack plumes. In. Sandroni, S. (ed.). *Regional and Long-range Transport of Air Pollution*, Elsevier Science Publishers, Amsterdam, The Netherlands, 249 - 280.
- ✓ Millán, M. M., Gallant, A.J. and Turner, H.E. (1976). The application of correlation spectroscopy to the study of dispersion from tall stacks. *Atmos. Environ.*, **10**, 499 - 511.
- ✓ Millán, M. M., Mantilla, E., Salvador, R., Carratalá, A., Sanz, M. J., Alonso, L., Gangoiti, G., Navazo, M. (2000). Ozone cycles in the western Mediterranean basin. interpretation of monitoring data in complex coastal terrain. *J. Appl. Meteor.* **39**(4), 487 - 507.
- ✓ Millán, M. M., Salvador, R., Mantilla, E. and Kallos, G. (1997). Photooxidant dynamics in the Mediterranean basin in summer. Results from European research projects. *J. Geoph. Res.* **102**, 8811 - 8823.
- ✓ Millán, M.M. & Sanz, M.J.(1993). *La contaminación atmosférica en la Comunidad Valenciana: Estado de conocimientos sobre los problemas en El Maestrazgo y Els Ports de Castellón*, Guada Litografía, S.L edition. Valencia.
- ✓ Miller, P.R. & Millecan, A.A.(1971). Extent of oxidant air pollution injury to some pines and other conifers in California. *Plant Disease Reporter.* **55**, 555-559.
- ✓ Miller, P.R. & Parmeter, J.R. (1967). Effects of ozone injury to ponderosa pine. *Phytopathology* **57**, 822
- ✓ Miller, P.R.(1973). Oxidant-induced community change in a mixed conifer forest. *Advances in Chemistry Series* **122**, 101-117.
- ✓ Munn, R.E., 1966. *Descriptive Micrometeorology*, Academic Press, New York, 245 pp.
- ✓ Munn, R.E., 1970, *Biometeorological Methods*, Academic Press, New York, 336 pp.
- ✓ Nash, T.H. & Gries, C. (1991). *The handbook of environmental chemistry* (Hutzinger, O., Ed.) Springer-Verlag edition. Berlin Heidelberg New York.
- ✓ Nash, T.H., III & Wirth, V. (eds.) (1988) Lichens, Bryophytes and Air Quality. - *Bibliotheca Lichenologica* 30: 1-297.
- ✓ Naveh, Z., Chaim, S., & Steinberg, E.H.(1978). Atmospheric oxidant concentrations in Israel as manifested by foliar injury in Bel-W3 tobacco plants. *Environmental Pollution.* **16**, 249-262.
- ✓ Onderdelinden D. (1984). Optimization of Monitoring Networks by Remote Sensing Techniques. Chap. XVI in *Optical Remote Sensing of Air Pollution*. Camagni P. and Sandroni S. (Eds.), Published for the C.E.C. by Elsevier Scientific Publishing Co., Amsterdam, 363-379.
- ✓ Oshima, R. J. (1979). The impact of sulfur dioxide on a processing tomato stressed with chronic ambient ozone. Final report research contract A7-141-30:1-83 (1979).



- ✓ Palau, J.L. (2001). La dispersión desde una chimenea alta en terreno complejo: Aproximación pseudo-lagrangiana. Tesina. Universitat de València, dept. de Termodinàmica. València.
- ✓ Palau, J.L. (2003). Dispersión atmosférica de las emisiones de una chimenea alta en terreno complejo. ISBN. 84-688-4440-3. Ed. Fundación CEAM. Tesis Doctoral - Universitat de València, dept. de Termodinàmica. Burjassot (Valencia).
- ✓ Palau, J. L., Mantilla, E., and Millán, M. M. (2001). Estimation of the dispersion of an elevated plume on complex terrain under stable-to-neutral conditions. En. A changing atmosphere. Programme abstracts. 8th European Symposium on the Physico-Chemical Behaviour of Atmospheric Pollutants. 17-20 September. Torino (Italia).
- ✓ Palau, J.L.; Mantilla, E.; Millán, M.; Diéguez, J.J.; Rodríguez, P. (2001). Dinámica de las emisiones de una chimenea alta: Análisis de la dispersión en topografía compleja. *Comunicación oral en el VII Congreso de Ingeniería Ambiental - PROMA'2001*. Bilbao (España), 305-315 p.
- ✓ Palau, J.L., Mantilla, E. and Millán, M.M. (2001). Estudio de la dinámica de un penacho elevado en topografía compleja bajo condiciones estivales. ISBN. 84 – 932150 – 2 - 3. Ed. Real Sociedad Española de Física. Sevilla. pp. 188-189. Sevilla.
- ✓ Palau, J.L., Pérez-Landa, G., Mantilla, E. and Millán, M.M. (2001). Estudio de la dinámica de un penacho elevado en topografía compleja bajo condiciones estivales. ISBN. 84 – 932150 – 2 - 3. Ed. Real Sociedad Española de Física. Sevilla. pp. 225-226. Sevilla.
- ✓ Peña, J.M. (2002). El estudio del impacto de la contaminación atmosférica en los bosques, Ministerio de Medio Ambiente, 425 p.
- ✓ Pérez-Landa, G., Palau, J. L., Mantilla, E., and Millán, M. M. (2002). A study of the dispersion of an elevated plume on complex terrain under summer conditions. En. 5 th symposium on boundary layers and turbulence. 15-19 July. Wageningen, The Netherlands 346-349 p.
- ✓ Pielke, Roger A., 1984: *Mesoscale Meteorological Modeling*. Academic Press, New York, 612 pp.
- ✓ Pooler Jr. F. and Niemeyer L. E. (1971) Dispersion from tall stacks: an evaluation. *Proceedings. 2nd International Air Congress* (Englund and Beery, editors), Academic Press, New York.
- ✓ Porcuna, J. L. (1997). El ambiente y la predisposición de las plantas de tomate a la infección de dos virosis en el Levante Español. 1-204. Tesis Doctoral Inéd., U. Politécnica Valencia.
- ✓ Porcuna, J.L., Sanchez, B., Quilis, J., Vidal, I., Tena, Ll., & Cano, A.(1993). Otros criterios que argumentarían la actual problemática en los cultivos hortícolas del litoral mediterráneo. *Phytoma España* **50**, 90-94.
- ✓ Portelli R.V., Kerman B. R., Mickle R. E., Trivett N. B., Hoff R. M., Millán M. M., Fellin P., Anlauf K. S., Wiebe H. A., Misra P. K., Bell R. and Melo O. (1982) The Nanticoke shoreline diffusion experiment, June 1978. *Atmos. Environ.* **16**, 413-466.
- ✓ Raybould, C.(1977). Sources of sulfur in rain collected below a wheat canopy. *Nature* **267**, 146-147.



- ✓ Reinert, R., Gimeno, B.S., SELLERAS, J.M., Bermejo, V., Ochoa, M.J., & Tarruel, A.(1992). Ozone effects on watermelon at the Ebro Delta (Spain). *Agriculture Ecosystems & Environment* **38**, 41-49.
- ✓ Rennenberg, H. Sekija, J., Wilson, L.G. & Filner, P.(1982). Evidence for an intracellular sulfur cycle in cucumber leaves. *Planta*. **154**, 516-524.
- ✓ Roberts, T.M.(1984). Effects of air pollutants on agriculture and forestry. *Atmos.* **18**, 629-652.
- ✓ Ronen, R. & Galun, M.(1984). Pigment extraction from lichens With Dimethyl sulfoxide (DMSO) and estimation of chlorophyll degradation. *Environmental and Experimental Pollution* **24(3)**, 239-245.
- ✓ Runeckles, V.C. & Resh, H.M.(1975). The assesment of chronic ozone injury to leaves by reflectance spectrophotometry. *Atmos Environ* **9**, 447-452.
- ✓ Salvador R., Millán M.M., Mantilla E., and Baldasano J.M^a. (1997) Mesoscale modelling of atmospheric processes over the western Mediterranean during summer. *Int. J. Environment and Pollution*. **8**, Nos. **3-6**, 513-529.
- ✓ Sánchez, G., Economou, A., Beccu, E., Canu, G., Cocco, S., Bussotti, F., Cenni, E., Cozzi, A., Ferretti, M., Conceição, M.(1994). Especies forestales mediterráneas. Guía para la evaluación de las copas (Ed. Ferretti, M.). CEC – UN/ECE, Brussels, Geneva, pp 154.
- ✓ Sandermann, H., Ernst, D., Heller, W. & Langebartels, C. (1998). Ozone: an abiotic elicitor of plant defence reactions [Review]. *Trends Plant Sci.* **3(2)**:47-50.
- ✓ Sanz, M.J. & Millán, M.M.(1998). The dynamics of aged airmasses and ozone in the western mediterranean: relevance to forest ecosystems. *Chemosphere* **36**, 1089-1094.
- ✓ Sanz, M.J. & Millán, M.M.(2000). *Forest dynamics in heavily polluted regions*. (Innes, J.L. and Oleskyn, J., Eds.) CAB Interantional edition. 165-192.
- ✓ Sanz, M.J.(1991). Efectos de la contaminación atmosférica sobre bioindicadores líquénicos y forófitos. Análisis de métodos para su cuantificación. Comarca de Els Ports (Castelló). Tesis doctoral. Universitat de València. Inédita.
- ✓ Sanz, M.J., Calatayud, V. & Calvo, E.(1997). Ozone symptomatology on *Pinus halepensis* populations in the Eastern Spain. En el libro de actas del congreso: *29th Annual Pollution Workshop*, Arizona U.S.A. Abril 1997.
- ✓ Sanz, M.J., Calatayud, V., & Calvo, E.(2000). Spatial pattern of ozone injury in aleppo pine related to air pollution dynamics in a coastal-mountain region of Eastern Spain. *Environmental Pollution*. **108**, 239-247.
- ✓ Sanz, M.J., Gries, C., & Nash, T.H.(1992). Dose-response relationships for SO₂ fumigations in the lichen *Evernia prunastri* (L.) Ach. and *Ramalina fraxinea* (L.) Ach. *New Phytologist*. **122** , 313-319.
- ✓ Sanz, M.J., Porcuna, J.L., Calvo, E. & Martín, C. (2002). Artichoke cultivars (var. “Balnca de Tudela”) under elevated ozone concentrations. *The ScientificWorld Journal* (2): 811-817.
- ✓ Sanz, M.J., Sánchez, G., Calatayud, V., Minaya, M.T., & Cerveró, J.(2001). *La Contaminación Atmosférica en los bosques. Guía para la identificación de daños visibles causados por ozono*, Organismo Autónomo de Parques Nacionales. Madrid.



- ✓ Saxe, H. (1991). Photosynthesis and stomatal responses to polluted air, and the use of physiological and biochemical responses for early detection and diagnostic tools. *Annual Reviews in Botanical Research*. **18**, 1-128
- ✓ Servicio de Protección Contra Agentes Nocivos (1994). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados de los inventarios de 1994 y 1994. *Ecología* **8**, 77-112.
- ✓ Servicio de Protección Contra Agentes Nocivos (1995). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 1995. *Ecología* **9**, 127-152.
- ✓ Servicio de Protección Contra Agentes Nocivos (1996). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 1996. *Ecología* **10**, 185-208.
- ✓ Servicio de Protección Contra Agentes Nocivos (1997). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 1997. *Ecología* **11**, 147-167.
- ✓ Servicio de Protección Contra Agentes Nocivos (1998). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 1998. *Ecología* **12**, 199-224.
- ✓ Servicio de Protección Contra Agentes Nocivos (1999). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 1999. *Ecología* **13**, 257-281.
- ✓ Servicio de Protección Contra Agentes Nocivos (2000). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 2000. *Ecología* **14**, 189-210.
- ✓ Servicio de Protección Contra Agentes Nocivos (2001). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 2001. *Ecología* **15**, 421-444.
- ✓ Servicio de Protección Contra Agentes Nocivos (2002). Inventario UE-ECE de daños forestales (IDF) en España. Red Europea de Seguimiento de Daños en los Bosques. Nivel I. Resultados del muestreo de 2002. *Ecología* **16**, 375-403.
- ✓ Shiermeier F.S. (1971) Study of effluents from large power plants. Presented at the Conference of the American Industrial Hygiene Assoc., May 24-28, Toronto, Canada.
- ✓ Simini, M., Skelly, J.M., Davis, D.D., & Savage, J.E. (1992). Sensitivity of four hardwood species to ambient ozone in north central Pennsylvania. *Canadian Journal of Forest Research*. **22**, 1799
- ✓ Stauffer, D.R. y Seaman, N.L. (1994). Multiscale four-dimensional data assimilation. *J. Appl. Meteor.*, **33**, 416 - 434.
- ✓ Stohl, A. and Seibert, P. (2001). The FLEXPART particle dispersion model. User Guide.
- ✓ Stohl, A. and Thomson, D.J. (1999). A density correction for Lagrangian particle dispersion models. *Bound.-Layer Meteor.*, **90**, 155 - 167.
- ✓ Thomson, W., Dugger, W.J., & Palmer, R. (1966). Effects of ozone on the fine structure of the palisade parenchyma cells of bean leaves. *Canadian Journal Botany* **44**, 1677-1682.



- ✓ Toyama, S.(1976). Effects of photochemical oxidants on plant organelles. *Sholubutsu Boeki* **30**, 223-229.
- ✓ Uliasz, M. (1994). Lagrangian particle dispersion modeling in mesoscale applications. In: Zannetti, P. (ed.). *Environmental Modeling, Vol. II*. Computational Mechanics Publications, Southampton, U.K.
- ✓ Van Egmond N.D., Davies J.H. and Millán M.M. (1980) Regional modelling of SO₂ transport by the use of local and remote sensors. Paper 3.15, *Proceedings Joint Conference on Applications of Air Pollution Meteorology*. March 1980, New Orleans, La. Published by the American Meteorological Society, Boston, MA, USA.
- ✓ Velissariou, D., Davison, A.W., Banes, J.D., Pfirrmann, T., Maclean, D.C., Holevas, C.D. (1992). Effects of air pollution on *Pinus halepensis* Mill.: pollution levels in Attica, Greece. *Atmospheric Environment* **26A**(3), 373-380.
- ✓ Velissariou, D., Gimeno, B.S., Badiani, M., Fumagalli, I. & Davison, A.W. (1996). Records of O₃ visible injury in the ECE Mediterranean region. In: Kärelampi, L & Skärby, L. (eds.) *Critical Levels for ozone in Europe. Testing and Finalizing the Concepts UN-ECE Workshop Report*, Univ. of Kuopio, Dep. Ecol. & Environ. Sci., 343-350.
- ✓ Weil J.C. (1979) Applicability of stability classification schemes and associated parameters in Maryland. *Atmos. Environ.* **13**, 819-831.
- ✓ Weil J.C. and Jepsen A.F. (1979) Evaluation of the gaussian plume model at the Dikerson power plant. *Atmos. Environ.* **11**, 901-910.